



X⁴ X-ray Inspection Systems

www.loma.com

Versatile, proven X-ray detection for the food and packaging industries



- **Versatile** Models and reject systems to suit a wide range of packaged product
- **Easy to use** Intuitive full color touch-screen
- **Sensitive** Auto calibration, which requires no programming and maximizes performance
- **Fast** Belt speeds in excess of 96 m/min (315 ft/min) without loss in performance
- **Reliable** Heavy duty conveyor components, built for 24/7 operation

Metal Detection

X-ray Inspection

Checkweighers


Data Capture

Designed to Survive



X-ray Inspection Systems

- Finish: 304 stainless steel with bead blast finish
- Typical Line Height: 900mm ± 50mm 35" ± 2"
- System Length: 2000mm 80"
- Belt Width: 300/500/600mm 12/20/24"
- Supply Voltages: 230/1ph/50Hz N+E or 110/1ph/60Hz N+E
- Air Supply: 5 to 8 bar 80 to 100 psi
- Reject Options: Air Blast single or twin, Pusher others to order
- Environment: IP55 NEMA 12/4X
- Belt Type: Flat (food quality) belt
- Standard Inclusions: Quick release belt, Height adjustable feet, Mass Measurement, Missing product, Shape recognition, Image and report archiving, Hinged interlocked covers, Variable speed
- Options: Reject confirmation, Bin full sensing, Reject bin, Survey meter, Remote diagnostics, Lockable wheels, LomaEnet, Modem, IP66 Washdown



Technical Specification

Industrial Grade PC with modem, Ethernet and front access USB port

Embedded Windows XP operating system

Digitally controlled WASC (Wide Angle, Self Cooled) high performance X-ray tank. (Tube life estimated at 7 to 10 years)

Unique USB high speed, high stability, detector array with 0.8mm diode pitch

Computer vision system utilising image processing and morphological techniques


Pass Key protected set-up

USB Report and image archiving

Full diagnostic and system health monitoring with date and time stamp archiving, including remote support tools

Usage monitoring with planned maintenance prompts

Modular system with speed digital communications between major components



USA — Loma Systems Inc, 283 East Lies Road, Carol Stream, IL 60188
Canada — Loma Canada, 333 Wyecroft Road, Unit 11, Oakville, Ontario, L6K 2H2

Tel: 1-800-USA-LOMA
Tel: (905) 842 4581

Fax: (630) 588-1394
Fax: (905) 842 3460

Email: sales@loma.com
Email: lomacanada@loma.com